

Counting Moving Bodies Using Sparse Sensor Beams

Lawrence H. Erickson, *Graduate Student Member, IEEE*, Jingjin Yu, *Student Member, IEEE*, Yaonan Huang, and Steven M. LaValle, *Member, IEEE*

(Invited Paper)

Abstract—This paper examines the problem of determining the distribution of a number of indistinguishable moving bodies located in regions separated by sensor beams that can detect whether a body moves across them. We characterize the conditions under which an exact distribution of bodies can be determined, and compute bounds on the expected number of sensor observations required to determine this exact distribution for a certain movement model of the bodies.

Note to Practitioners—Consider a building in which the rooms are separated by sensors that detect crossings, such as turnstiles (or laser tripwires, pressure-sensitive floors, etc.). If the number of occupants in each room is known initially, it is easy to use the data from the turnstiles to keep the population of each room up-to-date. However, if the number of occupants in each room is not known initially, the data from the turnstiles can be used to determine the population in each room. This paper approximates how long it will take to accumulate the data needed to determine these populations.

Index Terms—Filtering, robots, tracking.

I. INTRODUCTION

CONSIDER determining, in a large office building with many rooms, how its anonymous occupants are scattered in the rooms. Such information can be of vital importance in scenarios such as coordinated building evacuation in an emergency or characterizing building usage for energy optimization. Let the *distribution* of the occupants be the precise number of occupants per room. The task is relatively easy if an initial distribution of the occupants is known: We may simply place sensor beams at doorways of rooms to figure out the change in population for each room as the occupants move around. Adding or subtracting the change from the initial count then yields the answer. But what if the *a priori* distribution of the occupants is unavailable? Could the task still be solved without additional sensors?

Manuscript received November 12, 2012; accepted January 26, 2013. Date of publication May 23, 2013; date of current version October 02, 2013. This paper was recommended for publication by Associate Editor M. A. Hsieh and Editor M. Hsieh upon evaluation of the reviewers' comments. This work was supported in part by the National Science Foundation (NSF) under Grant 0904501 (IIS Robotics), Grant 1035345 (CNS Cyberphysical Systems), in part by DARPA SToMP under Grant HR0011-05-1-0008, and in part by MURI/ONR under Grant N00014-09-1-1052.

L. H. Erickson, Y. Huang, and S. M. LaValle are with the Department of Computer Science, University of Illinois at Urbana-Champaign, IL 61801 USA (e-mail: lericks4@uiuc.edu; huang134@uiuc.edu; lavallev@uiuc.edu).

J. Yu is with the Department of Electrical and Computer Engineering, University of Illinois at Urbana-Champaign, IL 61801 USA (e-mail: jyu18@uiuc.edu).

Color versions of one or more of the figures in this paper are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/TASE.2013.2260149




Fig. 1. [top] A simple environment with five regions separated by sensor beams, in which a body is moving from region r_2 to region r_3 . [bottom] The corresponding graph representation of the environment, induced by the sensor placement. The dotted edge is being traversed by the body moving from r_2 to r_3 .

In this paper, we show that, somewhat surprisingly, the aforementioned simplistic sensor setup is still powerful enough for determining the occupant distribution as required, given only an initial total population and enough time. More precisely, we characterize the capabilities and limitations of using beams to keep track of *bodies* moving around in a closed and bounded environment partitioned into *regions* by these beams. A beam detector is perhaps one of the simplest sensors: As a fixed sensor, it detects that a moving body passes through it but it cannot determine any other property of the body. With two of these it is also possible to tell the movement direction of the passing body. Fixing such pairs of beams between regions of interest, we have at any moment the net number of bodies that have moved in/out of any region. Fig. 1 (top) shows one of the simplest environments under this model. Note that the regions and beams can be effectively represented as vertices and edges of a (directed) graph [Fig. 1 (bottom)]. The bodies occupy the vertices of the graph; each sensor observation corresponds to a crossing of a body over an (directed) edge of the graph.

The contributions of this paper are twofold. First, we determine a necessary and sufficient condition on the initial distribution of bodies and the sensor history that allows the determination of an exact count of the bodies in each region. Second, we determine bounds on the expected number of sensor observations required to acquire a count of the bodies in each region for a specific movement model of the bodies. We show that for some starting distributions, the expected number of sensor observations required to determine the distribution is exponential in

the number of bodies, while for other starting distributions (even in the same graph), the expected number of observations required to determine a distribution is polynomial in the number of bodies.

Various simple sensor models have been investigated in the task of target tracking and counting. Binary proximity sensors have been employed to estimate positions and velocities of a moving body using particle filters [1] and moving averages [2]. The performance limit of a binary proximity sensor network in tracking a single target was discussed and approached in [3], followed by an extension to the tracking of multiple targets [4]. The task of counting multiple targets using simple sensors was also studied in [5], in which the problem of accurately counting the number of targets with overlapping footprints using pressure sensor arrays was solved with a novel approach of integrating over Euler characteristics. In the works mentioned so far, the sensor network's aggregate sensing range must cover the targets of interest at all times. When only a subset of an environment is guarded, *word problems in groups* naturally arise [6], [7]. For the setup in which targets moving inside a 2D region are monitored with sensors, algorithms exist that estimate the possible distribution of these targets [8], [9]. In particular, [8] focused on sensor beams and studied the issues of possible target locations, target path reconstruction up to homotopy, and path winding numbers. In [8], the surfacing of more interesting behaviors also induces an increase in computational complexity as well as convergence time, which is similar to what we observe in this paper. Controlling of sensorless wild bodies using various forms of gates was explored in [10], and some of the physically implemented gates used laser sensor beams to detect crossings between regions. Related to the control of sensorless wild bodies is the sensorless manipulation of polygonal parts was studied in [11] and [12].

If the limitation on using simple sensor models is lifted, research literature on target counting and tracking expands. Given the amount of papers and their diversified nature on this topic, we only mention a few of them. In [13] a simple virtual sensor, capable only of reporting visible features of the polygonal environment and the presence of indistinguishable targets, is able to count static targets using a minimal amount of data storage, though it is unclear how the simple virtual sensor could be implemented by simple physical sensors. In the domain of wireless sensor networks, the study of target counting and tracking is frequently coupled with communication efficiency and other concerns [14]. In [15], Simultaneous Localization and Mapping (SLAM) and Detection and Tracking of Moving Objects (DTMO) are combined to attack both problems at the same time. Real-time people counting with a network of image sensors is studied in [16].

The rest of this paper is organized as follows. Section II contains definitions that will be used throughout this paper. Section III describes the conditions under which the distribution of bodies can be determined. Section IV describes a movement model for the bodies called the *exponential random movement model*. This section also describes a physical system that produces behavior closely approximated by the exponential random movement model. Section V contains an upper bound on the expected number of sensor observations required to count the bodies in each region when the behavior of the bodies matches

the exponential random movement model. Section VI contains a method of using the upper bound to estimate the number of bodies in the environment if that number is not known in advance. Section VII contains a tight lower bound on the expected number of sensor observations required to count the number of bodies in each region when the behavior of the bodies matches the exponential random movement model. Section VIII contains results for a very simple 2-cycle environment. Section IX discusses directions of future research. For readability purposes, some proofs are located in an Appendix at the end of this paper.

II. DEFINITIONS

The vertices of an r -vertex directed graph G containing no sinks¹ are populated by a set M of *moving bodies*, in which $|M| = m$. This graph represents the regions and sensor beams of a physical environment (see Fig. 1). The bodies are capable of traveling through the edges into other vertices. When a body moves, a sensor observation y is generated that identifies the edge that the body traversed. We assume that only one body moves through a sensor beam at a time, and we assume that the sensor beams operate without errors. Additionally, the bodies are indistinguishable to the sensor beams. The system is in the k th stage after the k th sensor observation has been generated. Let $V(G)$ be the vertex set of graph G . A *distribution* is an assignment of the moving bodies to vertices of G .

We assume that no information about the initial distribution of moving bodies is known. The *history information state* $\mathcal{I}_{\text{hist}}(k) = [y_1, \dots, y_k]$ is the list containing the first k sensor observations. The *bounds information state* $\mathcal{I}_{\text{bounds}}(k)$ consists of a total number of bodies m and two r -length vectors $[u_{1,k}, \dots, u_{r,k}]$ (the *upper bounds*) and $[\ell_{1,k}, \dots, \ell_{r,k}]$ (the *lower bounds*), where $u_{i,k}$ is the greatest number of bodies that could be in vertex v_i in stage k , while remaining consistent with the previous sensor observations, and $\ell_{i,k}$ is the least number of bodies that could be in vertex v_i at stage k , while remaining consistent with the previous sensor observations. The *interval length* $\text{length}(k, v_i)$ is the value of $u_{i,k} - \ell_{i,k}$ at stage k . A bounds information state with an interval length of 0 is called a *counting information state*. Once a counting information state has been reached, it is trivially easy to keep track of the number of bodies in each region. Since the bodies are indistinguishable to the sensors, a counting information state is an exact description of the system state. For some information state I , let $H(I)$ be the *hypothesis set* of I , defined as the set of distributions of bodies over the vertices that are consistent with the information state I .

When a distribution d and lower bound set L are presented in the form (d, L) , then the lower bound set L is implied to be consistent with the distribution d (in other words, there is no vertex v_i in which ℓ_i is greater than the actual number of bodies in v_i). A distribution and lower bound set (d, L) is *near-complete for vertex v_i* if the lower bound ℓ_j is equal to the number of bodies in v_j for all $j \neq i$, and the number of bodies in v_i is equal to $\ell_i + 1$. Note that (d, L) is near-complete if and only if $\sum \ell_i = m - 1$.

¹Graphs with sinks are excluded because bodies located in sinks are unable to move to different vertices, which renders them undetectable.

III. COUNTING MOVING BODIES

In this section, the goal is to characterize what types of initial distribution and information history combinations allow the determination of a counting information state. As a first step, we show that, as long as a count of the total number of bodies in the graph is known in advance, the lower bounds of the bounds information state are sufficient to represent all that is known about the distribution of the bodies.

Theorem 1: For all $k \in \mathbb{N}$ and all $v \in V(G)$, the *interval length* $\text{length}(k, v) = m - \sum_{i=1}^r \ell_{i,k}$. (Proof provided in the Appendix.)

Theorem 1 implies that keeping track of an upper bound for each individual vertex is redundant, as all upper bounds can be reconstructed using the lower bounds and the total number of bodies. This means that once the lower bound of a vertex v_i and the number of bodies in v_i are the same, we have in some sense learned all that we can from v_i . An *informative observation* is a sensor observation that decreases this interval length. Theorem 1 implies that exactly m informative observations are required to obtain a counting information state. A corollary to Theorem 1 provides a necessary and sufficient condition for determining when enough informative observations have been acquired.

Corollary 2: The information state $\mathcal{I}_{\text{bounds}}(k)$ is a counting information state if and only if for each vertex $v \in V(G)$ there exists a stage j , where $0 \leq j \leq k$, and v contains no bodies at stage j . (Proof provided in the Appendix.)

IV. EXPONENTIAL RANDOM MOVEMENT MODEL

In Sections IV–IX, we will determine bounds on the expected number of steps required to converge to a counting information state. In order for these bounds to be well-defined, we require a model for the movement of the bodies. We have chosen to focus on a model in which each individual body has an equal probability of being the next body to move. For the purposes of our results, it is unimportant to which vertex the body moves if it has more than one option. We name this movement model the *exponential random movement model* because one situation in which this behavior occurs is when the amount of time that each body spends in between movements is described by an exponential random variable.

This model may be appropriate when the underlying event causing the movements is a Poisson process (perhaps the body is equipped with a Geiger counter and moves to a different room when it detects radiation). A system that is well approximated by this movement model is balls bouncing via specular bounces in polygonal regions separated by small doorways, similar to mathematical billiards. See Fig. 2 for a representative environment and the distribution of the length of time a body remains in a single room between transitions.

Let C_2 be the two-vertex directed cycle. Given a graph G and a distribution (d, L) that is near-complete for a vertex $v_i \in V(G)$, let $C_2(d, L)$ be a distribution and lower bound set on C_2 that is near-complete for $v_1 \in C_2$, where v_1 contains the same number of bodies that d places in v_i .

Let $\text{Con}(G, d)$ be a random variable denoting the number of sensor observations required to converge to a counting informa-




Fig. 2. [top] An environment with three symmetric regions and a population of moving bodies performing spectral bounces. [bottom] The distribution of the lengths of time spent in a single region between transitions compared to an exponential random variable with the same mean. The values along the x axis count simulation steps.

tion state in a directed graph G starting from an initial body distribution d with the bodies using the exponential random movement model. We will refer to $E[\text{Con}(G, d)]$ as the *expected exponential convergence time*, or the *EE-convergence time*. The word “exponential” in the term refers to the behavior of the random variables governing the motion of the bodies. The remainder of this paper will focus primarily on placing bounds on the EE-convergence time.

V. AN UPPER BOUND ON THE EE-CONVERGENCE TIME

Let graph G contain m bodies. For a distribution of bodies and set of lower bounds (d, L) , let $\text{Info}(G, d, L)$ be a random variable denoting the number of stages until an informative observation occurs. Let $\beta(G)$ be the maximum of $E[\text{Info}(G, d, L)]$ over all choices of (d, L) .

Lemma 3: If $E[\text{Info}(G, d, L)] = \beta(G)$, then (d, L) is near-complete.

Proof: Suppose that the lemma is false and let L be any set of lower bounds consistent with d such that $\sum_{\ell_i \in L} \ell_i < m - 1$ and $E[\text{Info}(G, d, L)]$ is maximal. Let L' be a set of lower bounds consistent with d such that $\sum_{\ell'_i \in L'} \ell'_i = m - 1$ and for all $1 \leq i \leq r$, $\ell'_i \geq \ell_i$. Note that, because $\sum_{\ell'_i \in L'} \ell'_i = m - 1$, there is exactly one vertex p , where p 's lower bound in L' is not equal to its number of bodies (the two values differ by exactly one body). Similarly, either there exists a vertex q such that $q \neq p$ and q 's lower bound in L is also not equal to its number of bodies, or p 's lower bound in L differs from its number of bodies by two or more.

Let S' be the set of finite sequences of sensor observations that, starting from L' and d , contain exactly one informative observation, located at the end of the sequence. For $s \in S'$, let $p(s)$ be the probability that sequence s occurs. Note that $p(s)$ is only dependent on s and d , not on L' . Also note that $E[\text{Info}(G, d, L')] = \sum_{s' \in S'} p(s')|s'|$. Since the interval length for L' is one, each sequence in s' must at some point move all bodies out of p .

Since p also has a lower bound in L that differs from its number of bodies, any sequence $s' \in S'$ contains a minimum prefix s that is also an informative observation. Note that $E[\text{Info}(G, d, L)] = \sum_{s' \in S} p(s')|s|$. If p has different lower bounds in L and L' , then always $s \neq s'$, as an informative observation for L will be made when p empties all but one body. Otherwise, the aforementioned vertex q exists, and $s \neq s'$ if q empties out prior to p emptying out. Since $|s| \leq |s'|$, and there exists at least one sequence where $|s| < |s'|$, we get that $E[\text{Info}(G, d, L)] = \sum_{s' \in S} p(s')|s| < \sum_{s' \in S} p(s')|s'| = E[\text{Info}(G, d, L')]$. However, this contradicts the maximality of $E[\text{Info}(G, d, L)]$.

Therefore, if $E[\text{Info}(G, d, L)] = \beta(G)$, then $\sum_{\ell_i \in L} \ell_i = m - 1$. ■

We will now obtain a slightly stronger result for C_2 that will be useful later.

Lemma 4: The expected value of $\text{Info}(C_2, d, L)$ is maximized when (d, L) is near-complete for some vertex v_1 , and v_1 contains all m bodies.

Proof: For a two vertex graph with one edge, Lemma 3 implies that $E[\text{Info}(C_2, d, L)]$ is maximized when there exists a vertex (called v_2), in which the lower bound of v_2 is equal to the number of bodies in v_2 , and another vertex v_1 in which the lower bound of v_1 is one less than the number of bodies in v_1 . An informative observation will only occur if v_1 completely empties.

Let d and L be the distribution where d places all m bodies into v_1 and the lower bound ℓ_1 is equal to $m - 1$. Let d^* be any other distribution, and let L^* be a set of lower bounds such that (d^*, L^*) is near-complete for v_1 . Note that, for both (d, L) and (d^*, L^*) , an informative observation is only possible if v_1 empties completely. However, since d^* places fewer bodies in v_1 than d places in v_1 , any sequence of sensor observations that results in an informative observation starting from (d, L) must result in (d^*, L^*) as an intermediate distribution and set of bounds. Therefore, $E[\text{Info}(C_2, d, L)] = E[\text{Info}(C_2, d^*, L^*)] +$




Fig. 3. [left] An environment that is represented by a graph with five vertices. It is currently in a near-complete state, with the unfilled moving body in the top-center region representing the only body not being tracked by the lower bounds. Note that movements in to or out of the bottom-right region are neutral, as they do not increase or decrease the number of bodies in the top-center region. [right] An environment represented by C_2 that is also in a near-complete state. Obtaining an informative reading in this environment is strictly harder than obtaining one in the environment on the left, as the probability of a progressive movement is the same as in the left environment, but neutral movements are no longer possible.

$E[\text{Catchup}]$, where Catchup is a random variable denoting the number of sensor observations required to reach (d^*, L^*) from (d, L) . Since Catchup is at least one (because $d \neq d^*$), we have that $E[\text{Info}(C_2, d, L)] > E[\text{Info}(C_2, d^*, L^*)]$. ■

We next use $E[\text{Info}(C_2, d_2, L_2)]$ to bound $E[\text{Info}(G, d, L)]$.

Lemma 5: If (d, L) is near-complete for $v_i \in V(G)$ and $(d_2, L_2) = C_2(d, L)$, then $E[\text{Info}(G, d, L)] \leq E[\text{Info}(C_2, d_2, L_2)]$.

Proof: An informative observation only occurs if v_i empties completely. We will call a body movement *progressive* if the body moves out of v_i . We will call a body movement *regressive* if the body moves into v_i . We will call a body movement *neutral* if it is not progressive or regressive.

In C_2 , neutral movements are impossible. If there are z bodies in v_1 , then there is a z/m probability of a progressive movement, and an $(m - z)/m$ probability of a regressive movement.

Each body has an identical probability of being selected as the next body to move. If there are z bodies in v_i , then there is a z/m probability of a progressive movement. There is an $(m - z)/m$ probability of a regressive or neutral movement.

Therefore, for all (d, L) on G that are near-complete for v_i , the probability of a progressive movement is the same as in $C_2(d, L)$, and the probability of a regressive movement in (d, L) is at most the probability of a regressive movement in $C_2(d, L)$ (see Fig. 3). Therefore, $E[\text{Info}(G, d, L)] \leq E[\text{Info}(C_2, d_2, L_2)]$. ■

Combining all of these results leads to a bound on the EE-convergence time.

Theorem 6: For any graph G containing m bodies, and any distribution of bodies d , the expectation $E[\text{Con}(G, d)] \leq (2\pi)^{-1/2} m^{3/2} e^{m-1/12m+1}$.

Proof: Our first task is to bound $\beta(G)$. Lemma 5 implies that $\beta(G) \leq \beta(C_2)$. Lemma 4 implies that $\beta(C_2) = E[\text{Info}(C_2, d, L)]$ when (d, L) is near-complete for a vertex v_1 .

We can bound $\beta(C_2)$ by considering only one specific way of clearing out v_1 . Suppose that, if v_1 is not cleared out in exactly m turns (we will refer to these m turns as a *round*), then the distribution is reset to a near-complete distribution for v_1 and a new round is started. Let $\gamma(C_2)$ be the expected number

of observations required to clear v_1 under this “resetting” condition. Since the near-complete distribution has the highest expected number of observations until an informative observation, $\gamma(C_2) \geq \beta(C_2)$.

The probability of a near-complete distribution in C_2 clearing the vertex v_1 in a single round is

$$\prod_{i=0}^{m-1} \frac{m-i}{m} = \frac{m!}{m^m}. \quad (1)$$

Stirling’s approximation yields $\frac{m!}{\sqrt{2\pi m}(m/e)^m e^{1/12m+1}} \geq$ which puts an upper bound on the expected number of rounds until v_1 empties out. This upper bound is

$$\frac{e^m}{\sqrt{2\pi m} e^{1/12m+1}}. \quad (2)$$

Since each round consists of m sensor observations, 2 results in the following upper bound on $\gamma(C_2)$, which is also an upper bound on $\beta(G)$

$$\beta(G) \leq \beta(C_2) \leq \gamma(C_2) \leq \frac{\sqrt{m} e^m}{\sqrt{2\pi} e^{1/12m+1}}. \quad (3)$$

Since $\beta(G)$ is the maximum expected number of stages for an informative observation, and Theorem 1 implies that there can be at most m informative observations, we get that

$$E[\text{Con}(G, d)] \leq m\beta(G) \leq \frac{m^{3/2} e^m}{\sqrt{2\pi} e^{1/12m+1}}. \quad (4)$$

VI. ESTIMATION OF THE NUMBER OF MOVING BODIES

We have been assuming that the total number of moving bodies is known. Suppose that the number of bodies is not known in advance. By combining the results of Section V with the Markov bound

$$Pr[X \geq \alpha] \leq \frac{E[X]}{\alpha} \quad (5)$$

and Bayes’ Theorem

$$Pr[A | B] = \frac{Pr[B | A] Pr[A]}{Pr[B]} \quad (6)$$

we can estimate the total number of bodies in a graph, assuming that we have knowledge about the prior probability distribution over the number of bodies.

Let Bdy be a random variable denoting the number of bodies in the graph G . For the purposes of brevity, we will use B_j to denote the event $\text{Bdy} = j$, and we will use C_z to denote the event $\text{Con}(G, d) \geq z$.

Theorem 7: Let z be the number of acquired sensor observations. Let k be the sum of the lower bounds after z observations have been acquired. Let j be an integer such that $j > k$. The following relationship holds:

$$Pr[B_j | B_k \cup (\text{Bdy} > k \cap C_z)] \leq \frac{j^{3/2} e^j}{z \sqrt{2\pi} e^{1/12j+1}} \frac{Pr[B_j]}{Pr[B_k]}. \quad (7)$$

Proof: Using Bayes’ Theorem, we get that $Pr[B_j | B_k \cup (\text{Bdy} > k \cap C_z)]$ is equal to

$$\frac{Pr[B_k \cup (\text{Bdy} > k \cap C_z) | B_j] Pr[B_j]}{Pr[B_k \cup (\text{Bdy} > k \cap C_z)]}. \quad (8)$$

Because the condition fixes the value of Bdy , the term $Pr[B_k \cup (\text{Bdy} > k \cap C_z) | B_j]$ can be simplified to $Pr[C_z | B_j]$. The Markov bound implies

$$Pr[C_z | B_j] \leq \frac{E[\text{Con}(G, d) | B_j]}{z}. \quad (9)$$

Theorem 6 implies $E[\text{Con}(G, d) | B_j] \leq (j^{3/2} e^j / \sqrt{2\pi} e^{1/12j+1})$. Additionally, $Pr[B_k \cup (\text{Bdy} > k \cap C_z)] \geq Pr[B_k]$, as the term on the right is a strictly stronger condition. Substituting these bounds into (8) yields

$$Pr[B_j | B_k \cup (\text{Bdy} > k \cap C_z)] \leq \frac{j^{3/2} e^j}{z \sqrt{2\pi} e^{1/12j+1}} \frac{Pr[B_j]}{Pr[B_k]}. \quad (10)$$

Theorem 7 can also be used to give a lower bound on $Pr[B_k | B_k \cup (\text{Bdy} > k \cap C_z)]$.

Corollary 8: Let z be the number of acquired sensor observations. Let k be the sum of the lower bounds after z observations have been acquired. Let j be an integer such that $j > k$. The following relationship holds:

$$Pr[B_k | B_k \cup (\text{Bdy} > k \cap C_z)] \geq 1 - \lambda \quad (11)$$

in which

$$\lambda = \sum_{j=k+1}^{\infty} \frac{j^{3/2} e^j}{z \sqrt{2\pi} e^{1/12j+1}} \frac{Pr[B_j]}{Pr[B_k]}. \quad (12)$$

Proof: The term

$$\sum_{j=k+1}^{\infty} \frac{j^{3/2} e^j}{z \sqrt{2\pi} e^{1/12j+1}} \frac{Pr[B_j]}{Pr[B_k]} \quad (13)$$

is an upper bound on the probability that $\text{Bdy} > k$. Since $\text{Bdy} \geq k$ is known, any remaining probability mass must belong to $Pr[B_k | B_k \cup (\text{Bdy} > k \cap C_z)]$.

The Markov bound converges slowly. If the variance of $\text{Con}(G, d)$ is relatively low, then we could obtain a faster estimation of the number of bodies by using the Chebyshev bound

$$Pr[|X - E[X]|] \geq \alpha \sqrt{\text{Var}[X]} \leq \frac{1}{\alpha^2}. \quad (14)$$

Unfortunately, we have been unable to prove any bounds on $\text{Var}[\text{Con}(G, d)]$. However, simulations (in C_2) seem to indicate that $\text{Var}[\text{Con}(G, d)] \approx E[\text{Con}(G, d)]^2$.

VII. A LOWER BOUND FOR THE EE-CONVERGENCE TIME

Corollary 2 establishes that each vertex must empty out at least once in order to reduce to a counting information state. This

implies that each body must move at least once. Under the exponential random movement model, each body has an equal probability of being the one that moved during each sensor observation. Therefore, we can acquire a lower bound on the expected number of required sensor observations by obtaining the expected number of sensor observations required until each body has moved once. This is a restatement of the classical *coupon collector's problem*.

Theorem 9: For a graph G containing m bodies, and any distribution of bodies d , the expectation $E[\text{Con}(G, d)] \geq mH_m$, where $H_m = \sum_{i=1}^m 1/i = \Theta(\ln m)$.

Proof: If j different bodies have moved so far, then there is an $(m - j)/m$ probability that the next body that moves is a body that moves for the first time. Therefore, if j different bodies have moved so far, the expected number of stages until a new body moves is $m/(m - j)$. Summing over $0 \leq j \leq m - 1$ yields mH_m . ■

Theorem 10: The bound in Theorem 9 is tight.

Proof: To demonstrate tightness, we must construct a graph G and initial body distribution d such that $E[\text{Con}(G, d)] = mH_m$. Let G be the graph consisting of m disjoint, disconnected copies of C_2 . For the initial distribution d , place one body in each of the C_2 subgraphs. The information state converges to the counting information state after each vertex that initially contains a body empties out at least once. Each vertex that initially contains a body starts with only one body a piece, and each component contains only one body. Therefore, if each body moves at least once, then each vertex that contained a body in the initial distribution will have emptied out at least once. By Corollary 2, this is sufficient to demonstrate convergence to a counting information state. ■

VIII. RESULTS FOR c_2

Due to C_2 's very simple structure, it is easier to analyze than general graphs. In fact, an identical system, known as the Ehrenfest Dog-flea, has been extensively studied in thermodynamics. It has long been known that, regardless of the initial distribution of the bodies in the graph, the number of bodies in one vertex is well-described by a binomial distribution if enough time is allowed to pass [17].

It is possible to get an exact answer (in recurrence form) for the expected number of stages until convergence for any initial distribution of C_2 . Let $\text{Out}(a, m)$ be a random variable denoting the number of stages it would take for vertex v_1 to empty out if v_1 started with a bodies, with m bodies total present in the graph (due to the symmetry in the graph, v_2 could be substituted for v_1 in the definition).

It is easy to determine the value of $\text{Out}(a, m)$ with a recurrence. For base cases, we have $E[\text{Out}(0, m)] = 0$ and $E[\text{Out}(m, m)] = 1 + E[\text{Out}(m - 1, m)]$. If there are a bodies in v_1 , then there is an a/m probability that a body leaves v_1 , and an $(m - a)/m$ probability that a body enters v_1 . Therefore, when $a \neq 0$, we have

$$E[\text{Out}(a, m)] = 1 + \frac{a}{m}E[\text{Out}(a - 1, m)] + \frac{m - a}{m}E[\text{Out}(a + 1, m)]. \quad (15)$$

To obtain a recurrence that determines $E[\text{Con}(C_2, d)]$ for arbitrary d , we must add an additional term. Let $\text{Out}'(a, m)$ be a random variable denoting the number of stages required for *either* of the vertices to empty out, given that the vertex with fewer bodies contains a bodies, and the whole graph contains m bodies.

As a base case, note that when m is odd

$$E[\text{Out}'(\lfloor \frac{m}{2} \rfloor, m)] = 1 + \lceil \frac{m}{2} \rceil E[\text{Out}'(\lfloor \frac{m}{2} \rfloor, m)] + \lfloor \frac{m}{2} \rfloor E[\text{Out}'(\lfloor \frac{m}{2} \rfloor - 1, m)]. \quad (16)$$

For even m , the equation is $E[\text{Out}'(m/2, m)] = 1 + E[\text{Out}'(m/2 - 1, m)]$. As in the previous function, $E[\text{Out}'(0, m)] = 0$. For other m , the relationship is similar to (15)

$$E[\text{Out}'(a, m)] = 1 + \frac{a}{m}E[\text{Out}'(a - 1, m)] + \frac{m - a}{m}E[\text{Out}'(a + 1, m)]. \quad (17)$$

Combining these two functions leads to a solution for arbitrary distributions over C_2 .

Theorem 11: If d is a distribution of m bodies over C_2 , with $m > 1$, that places a bodies in a single vertex, and $m - a$ in the other vertex, with $a \leq m - a$, then $E[\text{Con}(C_2, d)] = E[\text{Out}'(a, m)] + E[\text{Out}(m, m)]$.

Proof: The term $E[\text{Out}'(a, m)]$ is the expected number of stages for one of the two vertices to empty out. When one vertex empties out, the other must be full, meaning that the expected number of remaining steps for the second vertex to empty out is $E[\text{Out}(m, m)]$. ■

The authors were unable to determine a closed form solution for the expectation of either Out or Out' . However, it is not difficult to derive an exponential lower bound on $E[\text{Out}(m, m)]$. Theorem 11 implies that this is also a lower bound on $E[\text{Con}(C_2, d)]$, regardless of the initial distribution d .

Theorem 12: If d is a distribution of m bodies over C_2 , with $m > 1$, then

$$E[\text{Con}(C_2, d)] \geq E[\text{Out}(m, m)] \geq \frac{2^{m+3/2}}{\sqrt{\pi(m-1)(m+1)}e^{9m-8/(12m-11)(3m-3)}} \geq \Omega\left(\frac{2^m}{m^{3/2}}\right). \quad (18)$$

Proof: For $0 \leq a < m$, with $m > 1$, let $k_{a,m}$ be the expected number of steps required to move from a state in which v_1 contains $a + 1$ bodies to a state in which v_1 contains a elements. Note that $E[\text{Out}(a, m)] + k_{a,m} = E[\text{Out}(a + 1, m)]$. Combining this identity with (15) yields

$$E[\text{Out}(a, m)] = 1 + \frac{a}{m}E[\text{Out}(a - 1, m)] + \frac{m - a}{m}(E[\text{Out}(a, m)] + k_{a,m}). \quad (19)$$

Combining the $E[\text{Out}(a, m)]$ terms and multiplying by m/a gives

$$E[\text{Out}(a, m)] = \frac{m}{a} + E[\text{Out}(a - 1, m)] + \frac{m - a}{a}k_{a,m}. \quad (20)$$

Separating $E[\text{Out}(a, m)]$ into $E[\text{Out}(a-1, m)] + k_{a-1, m}$ and subtracting $E[\text{Out}(a-1, m)]$ from both sides yields

$$k_{a-1, m} = \frac{m}{a} + \frac{m-a}{a} k_{a, m}. \quad (21)$$

Since $(m-a)/a \geq 1$ when $a \leq m/2$, the value of $k_{a, m}$ grows as a becomes smaller when $a \leq m/2$. Due to the left term on the right side of (21), we know that $k_{\lfloor m/2 \rfloor, m} \geq 2$. Therefore

$$k_{0, m} \geq 2 \prod_{a=1}^{\lfloor m/2 \rfloor} \frac{m-a}{a} = 2 \frac{(m-1)!}{\lfloor \frac{m}{2} \rfloor! \lceil \frac{m}{2} \rceil!}. \quad (22)$$

We can use the version of Stirling's approximation found in [18] to bound the factorials. For even m , this becomes

$$\begin{aligned} k_{0, m} &\geq \frac{2}{m} \frac{\sqrt{2\pi m} \left(\frac{m}{e}\right)^m e^{(1/12m+1)}}{\pi m \left(\frac{m}{2e}\right)^m e^{(1/3m)}} \\ &= \frac{2^{m+(3/2)}}{\sqrt{\pi m^3} e^{(9m+1/3m(12m+1))}}. \end{aligned} \quad (23)$$

For odd m , the equation becomes

$$k_{0, m} \geq \frac{2^{m+3/2}}{\sqrt{\pi(m-1)(m+1)} e^{(9m-8/(12m-11)(3m-3))}}. \quad (24)$$

The two inequalities are almost the same, but (24) is smaller for $m > 1$. ■

IX. CONCLUSION AND FUTURE WORK

This paper has presented a necessary and sufficient condition for determining the distribution of a number of moving bodies in an environment made of regions separated by sensor beams. Additionally, this paper has determined bounds on the expected number of sensor observations required to determine this distribution under the exponential random movement model and shown how these bounds can be used to estimate the total number of moving bodies when this number is not known in advance.

One goal is to determine bounds on the expected number of sensor readings until convergence to a counting information state under alternate movement models. For example, if the moving bodies are people, then it is perhaps useful to consider a model where the movement of one body affects the probability of another body moving, as people often tend to enter and exit locations in groups. A model in which the paths of the moving bodies are deterministic but the transition times are random may be useful for modelling "obstacle course"-like situations and seems relatively easy to analyze.

Under the exponential random movement model, Theorems 10 and 12 imply that for a single graph, one starting distribution causes convergence to the counting information state in an expected polynomial number of stages, and a different starting distribution causes convergence in an expected exponential number of stages (note that the graph in Theorem 10 can be treated as C_2 if all the bodies start in one component).

It would be useful to know under which conditions this polynomial-to-exponential "phase transition" occurs. Initial concentration of the moving bodies and the length of the shortest directed cycle are likely to be important parameters.

Exploiting the *cover time* of random walks is one technique that could be used to produce improved bounds. The cover time of a vertex $v \in V(G)$ for some graph G is the expected number of steps required for a body initially placed in v that is taking a random walk to reach every vertex in G . The cover time of the graph is the maximum cover time over all possible starting vertices. For a strongly connected graph G containing m bodies, one could make a secondary graph H with a vertex set consisting of the length m strings with characters drawn from $V(G)$. Each vertex of H is a string that contains the location of each of the m bodies in G . For $v_1, v_2 \in V(H)$, an edge exists between them if their corresponding strings of the vertices differ in exactly one character, and the differing character in v_1 has an edge in G to the differing character from v_2 . A random walk by a single body in H can represent the movements of all the bodies in G . Since G is strongly connected, so is H . Since for each vertex $v \in V(G)$, there exists a vertex in H that represents a state in which v is empty, the expected time to convergence to a counting information state in G is less than the expected cover time of H .

For a simple example, consider the case where $G = C_2$. In this case, H is the m -dimensional hypercube. For each vertex of G to empty out, two vertices of H have to be reached. One is the vertex of H representing the state where all bodies are in $v_1 \in V(G)$, and the other is the vertex of H representing the state where all bodies are in $v_2 \in V(G)$. Since H is a regular graph with 2^m vertices, [19] implies that the expected cover time is at most $4^{m+1/2}$ steps. Therefore, $E[\text{Con}(C_2, d)] \leq 4^{m+1/2}$. This is not as good of a bound as the ones presented earlier in the paper, but further refinement of the technique may yield useful results.

Additionally, simulation data of various movement models in various types of graphs would be useful. A small number of simulations with the exponential movement model were performed in directed cycles (in order to determine the relationship between the size of the smallest directed cycle and the EE-convergence time), and in directed paths (to simulate a building evacuation scenario, with the formulation slightly modified to allow for the sinks in the paths). The data and an analysis are available in [20].

Finally, the information states used in this paper would require heavy modification if they are to be used in systems with sensor noise. The nature of these modifications would depend on the way that the noise is modelled (while it would be relatively easy to model false negatives, false positives would be more complicated). One possibility would be to define a false positive/negative rate (perhaps one false positive/negative per twenty sensor readings), and then loosen the upper and lower bounds accordingly as sensor data accumulates. Note that under this model of sensor noise, it would no longer generally be possible to acquire a counting information state, as any sensor error would introduce uncertainty. An appropriate goal would be knowledge of the locations of at least a specific fraction of the bodies with a certain level of confidence.

APPENDIX

Proof of Theorem 1: This will be shown inductively. As a base case, note that when $k = 0$, all interval lengths are m and $\ell_{i,0} = 0$ for all $1 \leq i \leq r$.

Assume that in stage $k - 1$, all intervals had length $m - \sum_{i=1}^r \ell_{i,k-1}$. Let the k th sensor observation be the transition of a body from v_s to v_t . If $\ell_{s,k-1} \geq 1$ and $u_{t,k-1} \leq m - 1$, then each hypothesis $h \in H(\mathcal{I}_{\text{bounds}}(k-1))$ can be transformed into a distribution h' consistent with $\mathcal{I}_{\text{bounds}}(k-1) + y_k$ by removing one body from v_s (there must be at least one as $\ell_{s,k-1} \geq 1$) and adding a body to v_t (there must be room for at least one more as $u_{t,k-1} \leq m - 1$). Therefore, $\mathcal{I}_{\text{bounds}}(k)$ is constructed by setting $\ell_{i,k} = \ell_{i,k-1}$ and $u_{i,k} = u_{i,k-1}$ for all $i \neq s, t$. For vertices v_s and v_t , $\ell_{s,k} = \ell_{s,k-1} - 1$, $u_{s,k} = u_{s,k-1}$, $\ell_{t,k} = \ell_{t,k-1} + 1$, and $u_{t,k} = u_{t,k-1} + 1$. Only the bounds of v_s and v_t have been changed, and their interval lengths remain unchanged because their upper and lower bounds have changed by the same amount.

Since all intervals have length $m - \sum_{i=1}^r \ell_{i,k-1}$ in stage $k - 1$, for any hypothesis in $H(\mathcal{I}_{\text{bounds}}(k - 1))$ in which there exists a vertex v_i that contains $u_{i,k-1}$ bodies, all other vertices must contain $\ell_{i,k-1}$ bodies. Therefore, if $\ell_{s,k-1} = 0$, then any hypothesis in which v_s contained 0 bodies in stage $k - 1$ must have been false, which means that any hypothesis in which a vertex v_i contained $u_{i,k-1}$ bodies was also false. All other hypotheses in $H(\mathcal{I}_{\text{bounds}}(k - 1))$ can be modified into hypotheses consistent with $\mathcal{I}_{\text{bounds}}(k - 1) + y_k$ by moving one body from v_s to v_t . For each v_i where $v_i \neq v_s$, there exists a hypothesis in $H(\mathcal{I}_{\text{bounds}}(k - 1))$, where v_i contains $u_{i,k-1} - 1$ bodies and v_s contained one body. There also exists a hypothesis in $H(\mathcal{I}_{\text{bounds}}(k - 1))$, where v_i contained no bodies. Therefore, $\mathcal{I}_{\text{bounds}}(k)$ is constructed by setting $\ell_{t,k} = \ell_{t,k-1} + 1$ and $u_{t,k} = u_{t,k-1}$. For each vertex v_i where $v_i \neq v_t$, the bounds are constructed by setting $\ell_{i,k} = \ell_{i,k-1}$ and $u_{i,k} = u_{i,k-1} - 1$. For each vertex, the difference between the upper and lower bound at stage k is one lower than the difference in stage $k - 1$.

Note that if $u_{t,k-1} = m$, then for all other vertices v_i , the value of $\ell_{i,k-1}$ must be 0, as any hypothesis that places m bodies into v_t must place zero bodies in all other vertices. Therefore, the situation where a hypothesis is disqualified because a body moves into a vertex with an upper bound of m bodies is a special case of the situation in the previous paragraph.

Therefore, for all $k \in \mathbb{N}$ and all $v \in V(G)$, the interval length $\text{length}(k, v) = m - \sum_{i=1}^r \ell_{i,k}$. ■

Proof of Corollary 2: Let d be some initial distribution of bodies. Suppose that there is a vertex p that did not empty out during the first k stages. Let q be a vertex such that $q \neq p$. Now, consider an initial distribution d' that is exactly the same as d except there is one more body in q and one fewer body in p . Since, starting from initial distribution d , the vertex p did not fully empty out in the first k stages, both d and d' are capable of producing $\mathcal{I}_{\text{hist}}(k)$. Note also that starting from initial distribution d' , the vertex q did not empty out in the first k stages. Therefore, it is impossible to determine if the starting distribution was d or d' . Since one would get a different distribution at stage k when starting from d than one would get by starting from d' , and $\mathcal{I}_{\text{hist}}(k)$ did not rule either out, that means that there is

more than one hypothesis in $\mathcal{I}_{\text{bounds}}(k)$, so $\mathcal{I}_{\text{bounds}}(k)$ is not a counting information state.

In the other direction, suppose that for each vertex $v \in V(G)$, there exists a stage prior to k in which v was empty. If a body moves in to v , the lower bound on v increases. If a body leaves v when v has a lower bound of 1 or greater, the lower bound on v decreases. If a body leaves v when v has a lower bound of 0, an informative observation occurs. Suppose v started with b bodies and emptied out at stage j (where $0 \leq j \leq k$). Since v is empty at stage j , if there were a entries into v , then there were at least $a + b$ exits from v . Since there were at most a entries into v and v 's lower bound was initially 0, at most a exits could have decremented the lower bound of v . Therefore, at least b exits from v were informative observations. If each vertex empties out, then each vertex produces a number of informative observations equal to the number of bodies that it initially contained. Therefore, if each vertex empties out by stage k , there is one informative observation for each body, which means that the interval length is 0 at stage k . ■

ACKNOWLEDGMENT

The authors thank L. Bobadilla and K. Gossman for their assistance with this project.

REFERENCES


- [1] J. Aslam, Z. Butler, F. Constantin, V. Crespi, G. Cybenko, and D. Rus, "Tracking a moving object with a binary sensor network," in *Proc. 1st Int. Conf. Embedded Networked Sensor Syst.*, 2002, pp. 150–161, ACM Press.
- [2] W. Kim, K. Mechitov, J. Choi, and S. Ham, "On target tracking with binary proximity sensors," in *ACM/IEEE Int. Conf. Inform. Process. Sensor Netw.*, 2005, pp. 301–308, IEEE Press.
- [3] N. Shrivastava, R. Mudumbai, U. Madhow, and S. Suri, "Target tracking with binary proximity sensors: Fundamental limits, minimal descriptions, and algorithms," in *Proc. 4th Int. Conf. Embedded Networked Sensor Syst.*, 2006, pp. 251–264, ACM Press.
- [4] J. Singh, R. Kumar, U. Madhow, S. Suri, and R. Cagley, "Multiple-target tracking with binary proximity sensors," *ACM Trans. Sensor Netw. (TOSN)*, vol. 8, no. 1, pp. 5–5, 2011.
- [5] Y. Baryshnikov and R. Ghrist, "Target enumeration via integration over planar sensor networks," in *Proc. Robot.: Sci. Syst.*, Zurich, Switzerland, Jun. 2008.
- [6] M. Dehn, *Papers on Group Theory and Topology*. Berlin, Germany: Springer-Verlag, 1987.
- [7] D. B. A. Epstein, M. S. Paterson, G. W. Camon, D. F. Holt, S. V. Levy, and W. P. Thurston, *Word Processing in Groups*, A. K. Peters, Ed. Natick, MA: , 1992.
- [8] B. Tovar, F. Cohen, and S. M. LaValle, "Sensor beams, obstacles, and possible paths," in *Proc. Workshop on Algorithmic Foundations of Robotics*, 2008, pp. 317–322.
- [9] J. Yu and S. M. LaValle, "Shadow information spaces: Combinatorial filters for tracking targets," *IEEE Trans. Robot.*, vol. 28, no. 2, pp. 440–456, Apr. 2012.
- [10] L. Bobadilla, O. Sanchez, J. Czarnowski, K. Gossman, and S. LaValle, "Controlling wild bodies using linear temporal logic," in *Proc. Robot.: Sci. Syst.*, Jun. 2011.
- [11] M. A. Erdmann and M. T. Mason, "An exploration of sensorless manipulation," *IEEE Trans. Robot. Autom.*, vol. 4, no. 4, pp. 369–379, Aug. 1988.
- [12] K. Y. Goldberg, "Orienting polygonal parts without sensors," *Algorithmica*, vol. 10, pp. 201–225, 1993.
- [13] B. Gfeller, M. Mihalak, S. Suri, E. Vicari, and P. Widmayer, "Counting targets with mobile sensors in an unknown environment," in *ALGO-SENSORS*, Jul. 2007, pp. 32–45.
- [14] Q. Fang, F. Zhao, and L. Guibas, "Counting targets: Building and managing aggregates in wireless sensor networks," Palo Alto Res. Center, Palo Alto, CA, USA, Tech. Rep. P2002-10298, Jun. 2002, .

- [15] C.-C. Wang, C. Thorpe, S. Thrun, M. Hebert, and H. Durrant-Whyte, "Simultaneous localization, mapping and moving object tracking," *Int. J. Robot. Res.*, vol. 26, no. 9, pp. 889–916, 2007.
- [16] D. B. Yang, H. H. Gonzalez-Banos, and L. J. Guibas, "Counting people in crowds with a real-time network of simple image sensors," in *Proc. IEEE Int. Conf. Comput. Vision*, 2003, vol. 1, pp. 122–129.
- [17] P. Ehrenfest and T. Ehrenfest, "Über zwei bekannte einwände gegen das Boltzmannsche H-Theorem," *Physikalische Zeitschrift*, vol. 8, no. 9, pp. 311–314, 1907.
- [18] H. Robbins, "A remark on Stirling's formula," *The American Mathematical Monthly*, vol. 62, no. 1, pp. 26–29, 1955.
- [19] U. Feige, "Collecting coupons on trees, and the cover time of random walks," *Comput. Complexity*, vol. 6, no. 4, pp. 341–356, 1996.
- [20] L. H. Erickson, J. Yu, Y. Huang, and S. M. LaValle, "Supplemental data for counting moving bodies using sparse sensor beams," Univ. Illinois at Urbana-Champaign, Urbana, IL, USA, Tech. Rep., 2013.



Lawrence H. Erickson (GS'08) received the B.S. degree in computer science (2008), the B.A. degree in East Asian languages and cultures (2008), and the M.S. degree in computer science (2012) from the University of Illinois at Urbana-Champaign, Urbana, IL, USA, in 2008, 2008, and 2012, respectively. He is currently working toward the Ph.D. degree in computer science at the University of Illinois at Urbana-Champaign.

Research interests include combinatorics, computational geometry, and robotics.



Jingjin Yu (S'11) received the B.S. degree in materials engineering from the University of Science and Technology of China, Hefei, China, in 1998, the M.S. degree in chemistry from the University of Chicago, Chicago, IL, USA, in 2000, the M.S. degree in mathematics from the University of Illinois at Chicago, Chicago, IL, USA, in 2001, and the M.S. degree in computer science from the University of Illinois at Urbana-Champaign, Urbana, IL, USA, in 2010. He is currently working toward the Ph.D. degree at the Department of Electrical and Computer Engineering, University of Illinois at Urbana-Champaign.

His research interests include robotics and control theory.



Yaonan Huang received the B.S. degree in mathematics from the University of Illinois at Urbana-Champaign, Urbana, IL, USA, in 2009. He is currently working towards the M.S. degree in computer science at Northwestern University, Evanston, IL, USA.



Steven M. LaValle (M'95) received the B.S. degree in computer engineering, and the M.S. and Ph.D. degrees in electrical engineering from the University of Illinois at Urbana-Champaign, Urbana, IL, USA, in 1990, 1993, and 1995, respectively.

From 1995 to 1997, he was a Postdoctoral Researcher and Lecturer with the Department of Computer Science, Stanford University, Stanford, CA, USA. From 1997 to 2001, he was an Assistant Professor with the Department of Computer Science, Iowa State University, Ames, IA, USA. He is

currently a Professor in the Department of Computer Science, University of Illinois. He authored the book *Planning Algorithms* (Cambridge University Press, 2006). His research interests include planning algorithms, sensing, motion planning, computational geometry, and control theory.